

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Kindergarten
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Grade 1
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Grade 2
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Grade 3
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Grade 4
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Grade 5
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Grade 6
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Grade 7
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Grade 8
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Grade 9
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Grade 10
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Grade 11
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	

School Name: _____

School Address (include city, state, zipcode) _____

Id#: _____

Closed, Merged or Sold

[Closed] [Merged] [Sold]

Survey Comments: _____

Grade Groups School Survey	Grade 12
Number of Children/Students Enrolled	
Number of children/Students Without Record	
Number with Medical Exemptions	
Number with Religious Exemptions	
Number with Diphtheria Toxoid-containing Vaccine 3 doses (4 doses for NYC)	
Number with Tetanus Toxoid-containing Vaccine 3 doses	
Number with Pertussis-containing Vaccine 3 Doses	
Number with Polio-containing Vaccine 3 doses	
Number with Measles Vaccine 1 dose for Pre-k and 2 doses for K-12	
Number with Mumps Vaccine 1 dose	
Number with Rubella Vaccine 1 dose	
Number with Haemophilus influenza type B (Hib) vaccine 3 doses if less than 15 months or 1 dose if 15 months of age or older	
Number with Hepatitis B Vaccine 3 doses	
Number with Varicella Vaccine 1 dose	
Number with Pneumococcal Vaccine refer to PCV chart for # of doses	
Number Completely Immunized	
Number with 3 Doses of Tetanus toxoid-containing Vaccine	
Number with Pertussis Vaccine 3 doses or 1 Tdap if ≥ 7	
Number with Tdap Booster 1 dose	
Number Children/Students in Process	